ELSEVIER

International Journal of Mass Spectrometry 218 (2002) 299

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 218

Abedi, A., 75
Alonso Otamendi, J., 217
Alton, G.D., 199
Anderson, G.A., 265
Arnold, S.T., 207

Baer, T., 19, 37
Becker, J.S., 245
Beene, J.R., 199
Bell, A.J., L1
Belov, M.E., 265
Bench, G., 255
Boulyga, S.F., 245
Brown, T.A., 255

Cacace, F., 197
Cai, R., 103
Castillo, F., 161
Chang, T.-L., 167
Covington, C., 49

Diskin, A.M., 87
Dodonov, A., 199
Dopfer, O., 281

Furuya, K., 237

Germanenko, I.N., 49
Glosík, J., 105
González Martínez, A.J., 217

Halicz, L., 245
Hamamoto, R., 173
Hatano, Y., 237
Herlert, A., 217
Hiraoka, K., 173
Hou, H., 103

Jertz, R., 217

Kobayashi, A., 11
Kong, Q., 103
Kudrna, P., 105

Li, W.-J., 167
Li, Y., 19, 37, 103
Liang, J.F., 199
Liu, Y., 199

Maier, J.P., 281
Martínez, H., 161
Masuoka, T., 11
Mayer, P.M., 1
McComish, I., 49
Menon, A.G., 181
Miller, T.M., 207
Milton, M.J.T., 63
Mori, K., 173

Ognibene, T.J., 255
O'Hair, R.A.J., 131
Okaji, A., 11

Peaslee, G.F., 255
Pithawalla, Y.B., 49
Plašil, R., 105
Platzner, T.I., 245
Poterya, V., 105
Pysanenko, A., 105

Qian, Q.-Y., 167
Qian, S., 103

Reyes, P.G., 161
Ross, S.K., L1
Roth, D., 281
Rusz, J., 105

Samy El-Shall, M., 49
Sato, T., 173
Schweikhard, L., 217
Segal, I., 245
Sevugarajan, S., 181
Smith, D., 87, 227
Smith, R.D., 265
Španěl, P., 87, 227

Tabrizchi, M., 75
Tichý, M., 105

Viggiano, A.A., 207
Vogel, J.S., 255
Vrkic, A.K., 131

Wang, J., 63, 103, 167
Wang, T., 87, 227
Watanabe, M., 173
Weidenmüller, M., 199
Wollnik, H., 199

Xu, J., 103

Zhao, L., 103
Zhao, M.-T., 167
Zhou, Zh., 199
Zhuang, J., 103

PII S1387-3806(02)00795-9

ELSEVIER

International Journal of Mass Spectrometry 218 (2002) 301–304

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 218

Absolute cross-sections
N^+ charge transfer in N_2 at low-keV collisions, 161
Accelerator mass spectrometry
A new accelerator mass spectrometry system for ^{14}C-quantification of biochemical samples, 255
Acetic acid–benzene
Comparative study of the binary clusters of acetic acid–water and acetic acid–benzene using electron impact and multiphoton ionization techniques, 49
Acetic acid–water
Comparative study of the binary clusters of acetic acid–water and acetic acid–benzene using electron impact and multiphoton ionization techniques, 49
Acrolein
Theoretical studies on the isomerization and dissociation of the acrolein ions, 19
The dissociation dynamics and thermochemistry of the acrolein ion studied by threshold photoelectron–photoion coincidence spectroscopy, 37
Alkenes
A selected ion flow tube (SIFT), study of the reactions of H_3O^+, NO^+ and O_2^+ ions with a series of alkenes; in support of SIFT-MS, 87
Angular distributions
N^+ charge transfer in N_2 at low-keV collisions, 161
Aryl cation
Gas phase ion chemistry of *para* substituted benzene diazonium ions, their salt clusters and their related phenyl cations, 131
Aryl diazonium ions
Gas phase ion chemistry of *para* substituted benzene diazonium ions, their salt clusters and their related phenyl cations, 131
Association
A selected ion flow tube (SIFT), study of the reactions of H_3O^+, NO^+ and O_2^+ ions with a series of alkenes; in support of SIFT-MS, 87
A selected ion flow tube, SIFT, study of the reactions of H_3O^+, NO^+ and O_2^+ ions with a series of diols, 227
Atomic weight
Absolute isotopic composition and atomic weight of samarium, 167

Beam cooling
Cooling beams of negative ions, 199
Binary mixtures
Secondary ions produced by 400 eV He^+ ion impact on solid films composed of binary mixtures of Ar/Xe, Ar/N_2, and Ar/O_2 at 7 K, 173
Biochemical ^{14}C quantification
A new accelerator mass spectrometry system for ^{14}C-quantification of biochemical samples, 255
Buffer gas
Cooling beams of negative ions, 199

Carbon dioxide
High accuracy method for isotope dilution mass spectrometry with application to the measurement of carbon dioxide, 63
Carbon tetrafluoride
Fragmentation of CF_4^{2+} dication from threshold to 120 eV, 11
$C_3H_3^+$ isomers
Interaction of $C_3H_3^+$ isomers with molecular nitrogen: IR spectra of $C_3H_3^+$–$(N_2)_n$ clusters ($n = 1$–6), 281
$C_3H_3^+$–$(N_2)_n$ clusters
Interaction of $C_3H_3^+$ isomers with molecular nitrogen: IR spectra of $C_3H_3^+$–$(N_2)_n$ clusters ($n = 1$–6), 281
Charge transfer
A selected ion flow tube (SIFT), study of the reactions of H_3O^+, NO^+ and O_2^+ ions with a series of alkenes; in support of SIFT-MS, 87
N^+ charge transfer in N_2 at low-keV collisions, 161
A selected ion flow tube, SIFT, study of the reactions of H_3O^+, NO^+ and O_2^+ ions with a series of diols, 227
Charged-particle beams
A new accelerator mass spectrometry system for ^{14}C-quantification of biochemical samples, 255
Charge-exchange
A new accelerator mass spectrometry system for ^{14}C-quantification of biochemical samples, 255
Chloroform
A novel electron source for negative ion mobility spectrometry, 75
CID
Gas phase ion chemistry of *para* substituted benzene diazonium ions, their salt clusters and their related phenyl cations, 131
Cluster ion
Ion rearrangement at the beginning of cluster formation: isomerization pathways and dissociation kinetics for the ionized dimethylamine dimer, 1

PII S1387-3806(02)00796-0

Clusters
Comparative study of the binary clusters of acetic acid–water and acetic acid–benzene using electron impact and multiphoton ionization techniques, 49
Cooler quadrupole
Cooling beams of negative ions, 199
Cyclic dimers
Comparative study of the binary clusters of acetic acid–water and acetic acid–benzene using electron impact and multiphoton ionization techniques, 49

D_3^+
Advanced integrated stationary afterglow method for experimental study of recombination of processes of H_3^+ and D_3^+ ions with electrons, 105
Density functional theory
Ion rearrangement at the beginning of cluster formation: isomerization pathways and dissociation kinetics for the ionized dimethylamine dimer, 1
Detection efficiency
Pulse-height distribution of output signals in positive ion detection by a microchannel plate, 237
DFT calculations
Theoretical studies on the isomerization and dissociation of the acrolein ions, 19
Dianions
The influence of the trapping potential on the attachment of a second electron to stored metal cluster and fullerene anions, 217
Dication
Fragmentation of CF_4^{2+} dication from threshold to 120 eV, 11
Diols
A selected ion flow tube, SIFT, study of the reactions of H_3O^+, NO^+ and O_2^+ ions with a series of diols, 227
Dissociation
Theoretical studies on the isomerization and dissociation of the acrolein ions, 19
The dissociation dynamics and thermochemistry of the acrolein ion studied by threshold photoelectron–photoion coincidence spectroscopy, 37
A selected ion flow tube (SIFT), study of the reactions of H_3O^+, NO^+ and O_2^+ ions with a series of alkenes; in support of SIFT-MS, 87
A selected ion flow tube, SIFT, study of the reactions of H_3O^+, NO^+ and O_2^+ ions with a series of diols, 227

Electron affinity
A theoretical study of high electron affinity sulfur oxyfluorides: SO_3F, SO_2F_3, and SOF_5, 207
ESI/MS
Gas phase ion chemistry of *para* substituted benzene diazonium ions, their salt clusters and their related phenyl cations, 131

Fourier-transform ion cyclotron resonance (FT-ICR)
The influence of the trapping potential on the attachment of a second electron to stored metal cluster and fullerene anions, 217
Fragmentation
Fragmentation of CF_4^{2+} dication from threshold to 120 eV, 11
Fullerenes
The influence of the trapping potential on the attachment of a second electron to stored metal cluster and fullerene anions, 217

G2 theory
A theoretical study of high electron affinity sulfur oxyfluorides: SO_3F, SO_2F_3, and SOF_5, 207

H_3^+
Advanced integrated stationary afterglow method for experimental study of recombination of processes of H_3^+ and D_3^+ ions with electrons, 105
Harmonic balance method
Transition curves and *iso-*β_u lines in nonlinear Paul traps, 181

IMS
Reverse flow continuous corona discharge ionisation applied to ion mobility spectrometry, L1
Inductively coupled plasma mass spectrometry
Precise isotope analysis of natural and enriched osmium samples using different ICP-MS instruments, 245
Intermolecular potential
Interaction of $C_3H_3^+$ isomers with molecular nitrogen: IR spectra of $C_3H_3^+$–$(N_2)_n$ clusters (n = 1–6), 281
Interstellar ions
Advanced integrated stationary afterglow method for experimental study of recombination of processes of H_3^+ and D_3^+ ions with electrons, 105
Ion branching ratios
Fragmentation of CF_4^{2+} dication from threshold to 120 eV, 11
Ion impact
Secondary ions produced by 400 eV He^+ ion impact on solid films composed of binary mixtures of Ar/Xe, Ar/N_2, and Ar/O_2 at 7 K, 173
Ion mobility spectrometry
A novel electron source for negative ion mobility spectrometry, 75
Ionic complexes
Interaction of $C_3H_3^+$ isomers with molecular nitrogen: IR spectra of $C_3H_3^+$–$(N_2)_n$ clusters (n = 1–6), 281
Ion–molecule reactions
Gas phase ion chemistry of *para* substituted benzene diazonium ions, their salt clusters and their related phenyl cations, 131
IR spectroscopy
Interaction of $C_3H_3^+$ isomers with molecular nitrogen: IR spectra of $C_3H_3^+$–$(N_2)_n$ clusters (n = 1–6), 281
Isomerization
Theoretical studies on the isomerization and dissociation of the acrolein ions, 19
Isotope dilution mass spectrometry (IDMS)
High accuracy method for isotope dilution mass spectrometry with application to the measurement of carbon dioxide, 63
Isotope ratio mass spectrometry
High accuracy method for isotope dilution mass spectrometry with application to the measurement of carbon dioxide, 63
Isotope ratio measurement
Precise isotope analysis of natural and enriched osmium samples using different ICP-MS instruments, 245

Isotopic abundance
Absolute isotopic composition and atomic weight of samarium, 167

Mass spectrometry
Reverse flow continuous corona discharge ionisation applied to ion mobility spectrometry, L1
Absolute isotopic composition and atomic weight of samarium, 167
MCP
Pulse-height distribution of output signals in positive ion detection by a microchannel plate, 237
Metal clusters
The influence of the trapping potential on the attachment of a second electron to stored metal cluster and fullerene anions, 217
Microsolvation
Interaction of $C_3H_3^+$ isomers with molecular nitrogen: IR spectra of $C_3H_3^+$–$(N_2)_n$ clusters (n = 1–6), 281
Molecular ion dissociation
A new accelerator mass spectrometry system for ^{14}C-quantification of biochemical samples, 255
Multiphoton ionization
Comparative study of the binary clusters of acetic acid–water and acetic acid–benzene using electron impact and multiphoton ionization techniques, 49

N^+
N^+ charge transfer in N_2 at low-keV collisions, 161
Negative corona discharge
A novel electron source for negative ion mobility spectrometry, 75
Negative ions
Cooling beams of negative ions, 199
Nitrobenzene
A novel electron source for negative ion mobility spectrometry, 75
NO_x
Reverse flow continuous corona discharge ionisation applied to ion mobility spectrometry, L1
Nonlinear Mathieu equation
Transition curves and *iso*-β_u lines in nonlinear Paul traps, 181
Nonlinear Paul traps
Transition curves and *iso*-β_u lines in nonlinear Paul traps, 181

Osmium
Precise isotope analysis of natural and enriched osmium samples using different ICP-MS instruments, 245
Ozone
Reverse flow continuous corona discharge ionisation applied to ion mobility spectrometry, L1

Penning trap
The influence of the trapping potential on the attachment of a second electron to stored metal cluster and fullerene anions, 217
Photoionization mass spectra
The dissociation dynamics and thermochemistry of the acrolein ion studied by threshold photoelectron–photoion coincidence spectroscopy, 37

Plasma
Advanced integrated stationary afterglow method for experimental study of recombination of processes of H_3^+ and D_3^+ ions with electrons, 105
Positive ion
Pulse-height distribution of output signals in positive ion detection by a microchannel plate, 237
Proton transfer
A selected ion flow tube (SIFT), study of the reactions of H_3O^+, NO^+ and O_2^+ ions with a series of alkenes; in support of SIFT-MS, 87
A selected ion flow tube, SIFT, study of the reactions of H_3O^+, NO^+ and O_2^+ ions with a series of diols, 227

Pulse-height distribution
Pulse-height distribution of output signals in positive ion detection by a microchannel plate, 237
Recombination
Advanced integrated stationary afterglow method for experimental study of recombination of processes of H_3^+ and D_3^+ ions with electrons, 105
RRKM
Ion rearrangement at the beginning of cluster formation: isomerization pathways and dissociation kinetics for the ionized dimethylamine dimer, 1

Samarium
Absolute isotopic composition and atomic weight of samarium, 167
Secondary ions
Secondary ions produced by 400 eV He^+ ion impact on solid films composed of binary mixtures of Ar/Xe, Ar/N_2, and Ar/O_2 at 7 K, 173
SIFT
A selected ion flow tube (SIFT), study of the reactions of H_3O^+, NO^+ and O_2^+ ions with a series of alkenes; in support of SIFT-MS, 87
A selected ion flow tube, SIFT, study of the reactions of H_3O^+, NO^+ and O_2^+ ions with a series of diols, 227
SO_2F_3
A theoretical study of high electron affinity sulfur oxyfluorides: SO_3F, SO_2F_3, and SOF_5, 207
SO_3F
A theoretical study of high electron affinity sulfur oxyfluorides: SO_3F, SO_2F_3, and SOF_5, 207
SOF_5
A theoretical study of high electron affinity sulfur oxyfluorides: SO_3F, SO_2F_3, and SOF_5, 207
Solid films
Secondary ions produced by 400 eV He^+ ion impact on solid films composed of binary mixtures of Ar/Xe, Ar/N_2, and Ar/O_2 at 7 K, 173
Stationary afterglow
Advanced integrated stationary afterglow method for experimental study of recombination of processes of H_3^+ and D_3^+ ions with electrons, 105

Sulfur oxyfluoride
A theoretical study of high electron affinity sulfur oxyfluorides: SO_3F, SO_2F_3, and SOF_5, 207
Synchrotron radiation
Fragmentation of CF_4^{2+} dication from threshold to 120 eV, 11

Thermochemistry
Theoretical studies on the isomerization and dissociation of the acrolein ions, 19
The dissociation dynamics and thermochemistry of the acrolein ion studied by threshold photoelectron–photoion coincidence spectroscopy, 37
TPEPICO
The dissociation dynamics and thermochemistry of the acrolein ion studied by threshold photoelectron–photoion coincidence spectroscopy, 37
Transition curves and *iso*-β_u lines
Transition curves and *iso*-β_u lines in nonlinear Paul traps, 181
Trinitrotoluene
A novel electron source for negative ion mobility spectrometry, 75
Two-step IDMS
High accuracy method for isotope dilution mass spectrometry with application to the measurement of carbon dioxide, 63

Unimolecular decomposition
Ion rearrangement at the beginning of cluster formation: isomerization pathways and dissociation kinetics for the ionized dimethylamine dimer, 1